

## Falling Knife Brewing Co.

783 Harding St NE Suite 100  
Minneapolis, MN 55413  
robbie@fallingknife.beer  
(612) 354-7101


Sample: 2508AIT0681.1233

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 08/28/2025; Report Created: 09/08/2025

## S070 - Grape Vape

Ingestible, Beverage



	<p><b>0.002%</b></p> <p>9.4 mg/container 4.7 mg/serving</p> <p><b>Total THC</b></p>	<p><b>&lt;LOQ</b></p> <p>&lt;LOQ &lt;LOQ</p> <p><b>Total CBD</b></p>	<p><b>0.002%</b></p> <p>9.4 mg/container 4.7 mg/serving</p> <p><b>Total Cannabinoids</b></p>
---	---	--	--

## Cannabinoids

Date Tested: 08/29/2025

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBD	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBG	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ9-THC	0.002	0.020	0.020	4.699	0.001
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.001


Method: HPLC  
Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.  
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %  
LOQ = Limit of Quantitation

## Summary

<b>Pass</b> Residual Solvents	<b>Pass</b> Pesticides
<b>Pass</b> Mycotoxins	<b>Pass</b> Heavy Metals
	<b>Pass</b> Microbials

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com




John Schmidt  
Analytical Chemist



Confident LIMS  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

## Falling Knife Brewing Co.

783 Harding St NE Suite 100  
Minneapolis, MN 55413  
robbie@fallingknife.beer  
(612) 354-7101

Sample: 2508AIT0681.1233

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 08/28/2025; Report Created: 09/08/2025

## S070 - Grape Vape

Ingestible, Beverage



## Microbials

Pass

Date Tested: 08/29/2025

Analyte	Limit	Result	Status
Yeast & Mold	CFU/g 1000	CFU/g <LOQ	Not Present
Salmonella	1	Not Detected	Not Present
Shiga Toxin-producing E. coli (STEC)	1	Not Detected	Not Present



Method: qPCR



John Schmidt

Analytical Chemist

## Falling Knife Brewing Co.

783 Harding St NE Suite 100  
Minneapolis, MN 55413  
robbie@fallingknife.beer  
(612) 354-7101

Sample: 2508AIT0681.1233

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 08/28/2025; Report Created: 09/08/2025

## S070 - Grape Vape

Ingestible, Beverage



## Mycotoxins

Pass

Date Tested: 08/29/2025

Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB	
Aflatoxin B1	1.00	20.00	<LOQ	Pass
Aflatoxin B2	1.00	20.00	<LOQ	Pass
Aflatoxin G1	1.00	20.00	<LOQ	Pass
Aflatoxin G2	1.00	20.00	<LOQ	Pass
Ochratoxin A	1.00	20.00	<LOQ	Pass

Method: LCMS

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com




John Schmidt  
Analytical Chemist



Confident LIMS  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

## Falling Knife Brewing Co.

783 Harding St NE Suite 100  
Minneapolis, MN 55413  
robbie@fallingknife.beer  
(612) 354-7101

Sample: 2508AIT0681.1233

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 08/28/2025; Report Created: 09/08/2025

## S070 - Grape Vape

Ingestible, Beverage



## Heavy Metals

Pass

Date Tested: 08/29/2025

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Arsenic	0.10	1.50	<LOQ	Pass
Cadmium	0.10	0.50	<LOQ	Pass
Lead	0.10	0.50	<LOQ	Pass
Mercury	0.10	3.00	<LOQ	Pass



Method: ICPMS



John Schmidt

Analytical Chemist

## Falling Knife Brewing Co.

783 Harding St NE Suite 100  
Minneapolis, MN 55413  
robbie@fallingknife.beer  
(612) 354-7101

Sample: 2508AIT0681.1233

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 08/28/2025; Report Created: 09/08/2025

## S070 - Grape Vape

Ingestible, Beverage



## Pesticides

Pass

Date Tested: 08/29/2025

Analyte	LOQ	Limit	Result	Status	Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.01	0.50	<LOQ	Pass	Hexythiazox	0.01	1.00	<LOQ	Pass
Acephate	0.01	0.40	<LOQ	Pass	Imazalil	0.01	0.20	<LOQ	Pass
Acequinocyl	0.01	2.00	<LOQ	Pass	Imidacloprid	0.01	0.40	<LOQ	Pass
Acetamiprid	0.01	0.20	<LOQ	Pass	Kresoxim Methyl	0.01	0.40	<LOQ	Pass
Aldicarb	0.01	0.40	<LOQ	Pass	Malathion	0.01	0.20	<LOQ	Pass
Azoxystrobin	0.01	0.20	<LOQ	Pass	Metalaxyl	0.01	0.20	<LOQ	Pass
Bifenazate	0.01	0.20	<LOQ	Pass	Methiocarb	0.01	0.20	<LOQ	Pass
Bifenthrin	0.01	0.20	<LOQ	Pass	Methomyl	0.01	0.40	<LOQ	Pass
Boscalid	0.01	0.40	<LOQ	Pass	Methyl Parathion	0.01	0.20	<LOQ	Pass
Carbaryl	0.01	0.20	<LOQ	Pass	Mevinphos	0.01		<LOQ	Tested
Carbofuran	0.01	0.20	<LOQ	Pass	MGK-264	0.01	0.20	<LOQ	Pass
Chlorantraniliprole	0.01	0.20	<LOQ	Pass	Myclobutanil	0.01	0.20	<LOQ	Pass
Chlorfenapyr	0.01	1.00	<LOQ	Pass	Naled	0.01	0.50	<LOQ	Pass
Chlormequat	0.01		<LOQ	Tested	Oxamyl	0.01	1.00	<LOQ	Pass
Chlorpyrifos	0.01	0.20	<LOQ	Pass	Pacllobutrazol	0.01	0.40	<LOQ	Pass
Clofentezine	0.01	0.20	<LOQ	Pass	Permethrins	0.01	0.20	<LOQ	Pass
Coumaphos	0.01		<LOQ	Tested	Phosmet	0.01	0.20	<LOQ	Pass
Cyfluthrin	0.01	1.00	<LOQ	Pass	Piperonyl	0.01	2.00	<LOQ	Pass
Cypermethrin	0.01	1.00	<LOQ	Pass	Butoxide				
Daminozide	0.01	1.00	<LOQ	Pass	Prallethrin	0.01	0.20	<LOQ	Pass
DDVP	0.01	1.00	<LOQ	Pass	Propiconazole	0.01	0.40	<LOQ	Pass
Diazinon	0.01	0.20	<LOQ	Pass	Propoxur	0.01	0.20	<LOQ	Pass
Dimethoate	0.01	0.20	<LOQ	Pass	Pyrethrins	0.01	1.00	<LOQ	Pass
Dimethomorph	0.01		<LOQ	Tested	Pyridaben	0.01	0.20	<LOQ	Pass
Ethoprophos	0.01	0.20	<LOQ	Pass	Spinetoram	0.01		<LOQ	Tested
Etofenprox	0.01	0.40	<LOQ	Pass	Spinosad	0.01	0.20	<LOQ	Pass
Etoxazole	0.01	0.20	<LOQ	Pass	Spiromesifen	0.01	0.20	<LOQ	Pass
Fenhexamid	0.01		<LOQ	Tested	Spirotetramat	0.01	0.20	<LOQ	Pass
Fenoxycarb	0.01	0.20	<LOQ	Pass	Spiroxamine	0.01	0.40	<LOQ	Pass
Fenpyroximate	0.01	0.40	<LOQ	Pass	Tebuconazole	0.01	0.40	<LOQ	Pass
Fipronil	0.01	0.40	<LOQ	Pass	Thiacloprid	0.01	0.20	<LOQ	Pass
Flonicamid	0.01	1.00	<LOQ	Pass	Thiamethoxam	0.01	0.20	<LOQ	Pass
Fludioxonil	0.01	0.40	<LOQ	Pass	Trifloxystrobin	0.01	0.20	<LOQ	Pass

Methods: LCMS and GCMS

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com




John Schmidt

Analytical Chemist

Confident LIMS  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

## Falling Knife Brewing Co.

783 Harding St NE Suite 100  
Minneapolis, MN 55413  
robbie@fallingknife.beer  
(612) 354-7101

Sample: 2508AIT0681.1233

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 08/28/2025; Report Created: 09/08/2025

## S070 - Grape Vape

Ingestible, Beverage



## Residual Solvents

Pass

Date Tested: 08/29/2025

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
1,4-Dioxane	71.250	380.000	<LOQ	Pass
2-Butanol	437.500	5000.000	<LOQ	Pass
2-Ethoxy-Ethanol	30.000	160.000	<LOQ	Pass
2-Propanol IPA	437.500	5000.000	<LOQ	Pass
Acetone	437.500	5000.000	<LOQ	Pass
Acetonitrile	76.880	410.000	<LOQ	Pass
Benzene	0.375	2.000	<LOQ	Pass
Butanes	156.300	5000.000	<LOQ	Pass
Cumene	13.130	70.000	<LOQ	Pass
Cyclohexane	727.500	3880.000	<LOQ	Pass
Dichloromethane	112.500	600.000	<LOQ	Pass
Ethanol	437.500	5000.000	770.394	Pass
Ethyl-Acetate	437.500	5000.000	<LOQ	Pass
Ethyl-Ether	437.500	5000.000	<LOQ	Pass
Ethylene Glycol	116.300	620.000	<LOQ	Pass
Ethylene Oxide	9.375	50.000	<LOQ	Pass
Heptane	437.500	5000.000	<LOQ	Pass
Hexanes	217.500	290.000	<LOQ	Pass
Isopropyl-Acetate	437.500	5000.000	<LOQ	Pass
Methanol	312.500	3000.000	<LOQ	Pass
Pentanes	953.100	5000.000	<LOQ	Pass
Propane	31.250	5000.000	<LOQ	Pass
Tetrahydrofuran	135.000	720.000	<LOQ	Pass
Toluene	166.900	890.000	<LOQ	Pass
Xylenes	1221.000	2170.000	<LOQ	Pass

Method: GCMS (Headspace)




John Schmidt

Analytical Chemist